

Publishable Summary for 23NRM03 BioAirMet Standardisation of bioaerosol monitoring for air quality and climate modelling

Overview

Biological aerosols (mainly pollen and fungal spores, but also bacteria, viruses and plant debris) are ubiquitous in the atmosphere. They influence the hydrological cycle and climate, and some of them are known human and plant pathogens and/or allergens. Newly developed systems to monitor airborne biological particles, based on automatic bioaerosol monitors and machine learning, have revolutionised the field by providing real-time information on particle number concentration and taxa/species. However, traceability is incomplete and measurement uncertainties are poorly understood. This project will provide input to a new documentary standard on automatic pollen and fungal spore monitoring within the CEN/TC 264/WG 39 and will develop quality assurance procedures for this new class of bioaerosol monitors.

Need

Biological aerosols are released into the air by plants, fungi and other living organisms as part of their reproductive or decomposition cycles. They are ubiquitous in the atmosphere, although their concentration and composition can vary significantly in time (e.g., night vs day) and by location (e.g., park vs residential estate). Besides their biological importance, many bioaerosols, especially pollen and some fungal spores, have an allergenic or pathogenic effect on humans. Pollen allergy and asthma are some of the most common chronic diseases, affecting between 15 %-40 % of the European population (forecasted to be 50 % by 2050), with estimated direct and indirect health costs exceeding €50 billion per year. Bioaerosol monitoring has therefore become essential as it underpins practical mitigation and adaptation measures. The data are required, and used, by physicians for diagnosis, treatment and clinical studies as well as for empirical and numerical pollen forecasts, which aid allergy sufferers to effectively plan their activities and medication intake.

Bioaerosols can act as cloud condensation nuclei as well as ice nuclei, influencing the hydrological cycle and climate. Moreover, information on bioaerosols is crucial for agriculture and forestry, where real-time data about the presence of pathogens, mostly fungi, are necessary for protecting agricultural production. Pollen monitoring is needed to underpin ecological studies on vegetation shifts and invasive species.

Originally, bioaerosol monitoring networks were based on offline manual methods. These methods suffer from poor time resolution (typically 24 hours) and long delays in data availability (typically 7-9 days). Recent technological developments and machine learning have made it possible to automate bioaerosol monitoring, revolutionising the information that can be made available to end-users.

Automatic bioaerosol monitors are not fully calibrated as new methods need to be developed. The machine learning algorithms need to be adequately trained as they are currently trained with particles supplied to the devices under generic laboratory conditions or even outdoors (e.g., rooftops of meteorological institutes), with no strict control over the environmental conditions. Also, strong deviations are observed due to different measurement principles being in use among the instruments and the data outputs are not comparable, or they require some transformation, making the process time consuming and imprecise (e.g., some machines report coarse particle number concentration, others only particle counts or size classes). These approaches need to be standardised. Once the calibration process is validated and deviations reduced, the production of a new

Report Status:
PU – Public, fully open

Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or EURAMET. Neither the European Union nor the granting authority can be held responsible for them.

European Partnership  Co-funded by the European Union

Publishable Summary

The project has received funding from the European Partnership on Metrology, co-financed from the European Union's Horizon Europe Research and Innovation Programme and by the Participating States.

METROLOGY PARTNERSHIP 

Issued: June 2024

documentary standard by CEN/TC 264/WG 39 will be required to make the new processes available to stakeholders (e.g., bioaerosol monitoring networks and instrument manufacturers).

Objectives

The overall objective of this project is to provide input to a new documentary standard on automatic pollen and fungal spore monitoring within the CEN/TC 264/WG 39 and to develop quality assurance procedures for state-of-the-art bioaerosol monitors. The specific objectives of the project are:

1. To further develop two traceable methods (light scattering and particle flow visualisation) for the calibration of automatic bioaerosol monitors with respect to particle size and number concentration (target expanded uncertainty $\leq 15\%$). To provide clear guidelines to end users about the specifications, limitations and application range of each primary method.
2. To develop methods for training and validating machine learning (ML) algorithms, which identify airborne pollen taxa and fungal spore species in real-time, based on the collection of bioaerosol particles from natural sources, appropriate conditioning/treatment in the laboratory and controlled re-dispersion in air. To develop methods for quantifying the accuracy of the algorithms and for deriving a combined uncertainty arising from uncertainties in both particle counting and particle identification (target expanded uncertainty $\leq 30\%$).
3. To standardise the data output, interface and metadata of automatic bioaerosol monitors. To develop guidelines on data storage, handling and distribution, ensuring data availability and accessibility compliant with EU environmental regulations, in particular with the [Inspire Directive](#).
4. To contribute to the development of a new standard on automatic pollen and fungal spore monitoring within the CEN/TC 264/WG 39 – Sampling and Analysis of Airborne Pollen Grains and Fungal Spores, and to contribute to the revision of existing standards published by CEN/TC 264/WG 28 – Measurement of Airborne Microorganisms in Ambient Air.
5. To address stakeholder needs regarding automatic bioaerosol monitoring highlighted at the [BIPM/CCQM Workshop on Particle Metrology](#) and establish strong collaboration with EMN Pollution Monitoring. To facilitate the uptake of the technology and measurement methodologies developed in the project by the [EUMETNET AutoPollen](#) community, the EU Horizon Europe project SYLVA, (national/regional) bioaerosol monitoring networks and instrument manufacturers.

Progress beyond the state of the art and results

The technical results that are expected to be delivered by this project are as follows:

1. Further development and standardisation of traceable methods for counting of micrometre-sized bioaerosol particles (pollen and fungal spores)

Existing methods for the determination of airborne particle number concentration, based on reference optical particle counters, will be standardised in the particle size range up to at least $50\ \mu\text{m}$ and at particle number concentrations above $0.5\ \text{particle per cm}^3$ with a target expanded uncertainty of $\leq 15\%$. A new reference method based on particle tracking and velocimetry will be applied, for the first time, on the sampling and counting of bioaerosol particles, extending the detected size range up to about $80\ \mu\text{m}$ with a target expanded uncertainty of $\leq 30\%$.

2. Development of procedures for quantifying the performance of machine learning algorithms and the uncertainties related to particle taxon identification

Methods for training machine learning algorithms will be extended to include temperature- and humidity-controlled samples as well as atmospherically aged particles. Procedures for comparing the outputs of ML algorithms will be developed, the sensitivity of ML algorithms to factors that affect field deployment will be investigated and uncertainties, in taxon identification, will be quantified. Guidance on how to assess a ML taxon classification algorithm will be prepared to share good practice and to give users confidence in the suitability of algorithms for their area. The sensitivity analysis will be used to suggest recommendations for the creation of training and testing datasets for ML algorithms for field deployment.

3. Standardisation of the data output, interface and metadata of automatic bioaerosol monitors and the development of guidelines on data storage, handling and distribution

Level 0 (unprocessed) and Level 1 (processed and calibrated) data will be standardised, and the project participants will formulate recommendations regarding specific data fields, metadata descriptors, units of measurement, uncertainty reporting guidelines and the overall structure of processed data. Furthermore, practices related to distributed data, database management, data accessibility and version control will be reviewed within the context of automatic bioaerosol monitors. A clear and effective set of recommendations will be developed to optimise the organisation, accessibility and traceability of data across various stakeholders in accordance with the EU environmental regulations, in particular with the [Inspire Directive](#).

4. Contribution to a new CEN/TC 264/WG 39 standard on automatic bioaerosol monitoring and the revision of existing standards published by CEN/TC 264/WG 28

Currently, the only documentary standard on the measurement of ambient pollen and fungal spores refers to the manual method based on the use of collection impactors and offline light microscopy (EN 16868:2019 "Ambient air - Sampling and analysis of airborne pollen grains and fungal spores for networks related to allergy - Volumetric Hirst method" by CEN/TC 264/WG 39). Another document of importance is the technical specification (TS) CEN/TS 16115-1:2011 "Ambient air quality - Measurement of bioaerosols - Part 1: Determination of moulds using filter sampling systems and culture-based analyses" by CEN/TC 264/WG 28 for the same manual methods as with WG 39. The results of this project will feed directly into the new technical specification (to be later upgraded to a full standard) which is currently being developed by CEN/TC 264/WG 39 on real-time, automatic bioaerosol monitoring and into new or updated documents of CEN/TC 264/WG 28.

Outcomes and impact

Outcomes for industrial and other user communities

The early industrial impact of the project will be focussed on the standardisation of aerosol generators, designed and produced in Europe. Swisens have recently developed a bioaerosol generator (known as the Swisens Atomizer) and METAS was directly involved in the development and validation of a novel oxidation flow reactor (known as the OCU). By combining the Swisens Atomizer with the OCU to produce atmospherically aged bioaerosols, the application range of both generators will be extended. Further standardisation of the generators in new fields of research and demonstration of how these can be incorporated into a single setup for training ML algorithms will further boost sales in Europe and worldwide. Europe has a strong presence in the manufacturing of automatic bioaerosol monitors. The availability of traceable calibration for such instruments will be a direct benefit for existing instruments and on the development of new designs. The improved accuracy of bioaerosol measurements will stimulate demand and production. Europe is leading the automation of bioaerosol monitoring stations, with more than 400 automatic instruments expected to be installed across Europe in the next few years.

Efficient and accurate bioaerosol monitoring will benefit pollen monitoring, which can be used to forecast the production of certain crops, e.g., olives or oak. This can provide useful information to agricultural end-users, helping them e.g., to fix prices and manage crop harvests. Bioaerosol monitors can also be used indoors or in workplace environments that may be contaminated with pathogenic organisms (e.g., organic waste treatment, livestock and poultry farming, arable farming). This project will develop procedures for validating mid-cost bioaerosol monitors which can distinguish between pathogenic and non-pathogenic particles and alert the workforce when a specific target value has been exceeded. Real-time viable particle counters provide real-time counts of total and viable particles in pharmaceutical manufacturing environments to reduce aseptic interventions, improve root-cause investigations and increase process knowledge. Such instruments will be calibrated for the first time in this project, providing valuable information to pharmaceutical and biotechnology industries operating clean rooms.

The vast majority of automatic bioaerosol monitors (POMO-BAA500, SwisensPoleno, Rapid-E, BeeNose, Aertape and others) are designed and produced in Europe. This project will enhance the end users' confidence in these instruments through standardisation and certification, which will promote sales and help European manufacturers assume a leading role in the global market.

Outcomes for the metrology and scientific communities

Standardising the generation of fresh and aged (i.e., processed) bioaerosols in the laboratory will enable NMIs and DIs to offer new calibration procedures for a variety of instruments, such as automatic bioaerosol monitors for ground-based measurements, aerosol LiDAR systems which determine the vertical profile of aerosols in the atmosphere and portable particle counters and size spectrometers for high-altitude (free troposphere) measurements. In addition, the generation of well-defined bioaerosols in the laboratory is essential for performing controlled health-related studies, e.g., in vitro toxicology and in vivo inhalation studies. Experiments with laboratory-generated bioaerosols, under controlled conditions, can provide information on the causal link between the particles we breathe and the down-stream health effects. They can also complement epidemiological studies.

Since aerosol metrology is a relatively new scientific topic, compared to gas analysis and other relevant disciplines, this will provide a much-needed uplift for aerosol laboratories, helping them to build new scientific networks, and to grow their research collaborations and service spectrum. Moreover, the results of this project will feed directly into regional/national bioaerosol monitoring networks (e.g., ePIN, SwissPollen, AirAllergy, Met Eireann Network, FinBio). The availability of standardised calibration procedures for bioaerosol monitors is a key benefit from the project and will increase the accuracy and comparability of their data. This in turn will lead to better pollen forecasts for physicians and clinicians, better fungal spore forecasts for ecology and agricultural research, reliable data for the modelling of bioaerosols in the atmosphere and robust emission inventories for airborne pathogens and their regulation.

The results of this project will feed directly into European automatic bioaerosol monitoring networks and they will improve data accuracy by reducing measurement uncertainties from >60 % down to <30 % to address stakeholder needs. The know-how in the training of ML algorithms will find applications in other areas of aerosol sciences, e.g., in the identification of various black carbon (BC)-containing particles, and potentially in other applications that use ML for image-based classification. Further, the consortium will interact closely with the EU Horizon Europe project SYLVA (2023-2026), which is establishing the technological background for European bioaerosol networks.

Outcomes for relevant standards

The results of this project will feed directly into the new CEN/TC 264/WG 39 technical specification on the automatic bioaerosol monitoring of pollen grains and fungal spores, which will be the very first standard worldwide on this scientific/technical subject. The project will also contribute to the revision of existing standards published by CEN/TC 264/WG 28 – Measurement of Airborne Microorganisms in Ambient Air. The outputs of this project will contribute to the development of a new CEN technical specification (and later a standard) on "Near real-time measurement methods for monitoring airborne pollen and fungal spore concentrations" within CEN/TC 264/WG 39. This standard will complement, or even replace in the future, the EN 16868:2019 standard for the manual method: Sampling and analysis of airborne pollen grains and fungal spores for networks related to allergy - Volumetric Hirst method.

Information on progress, and results, from the project will also be disseminated to other standardisation bodies and committees and feedback sought, such as to ISO/TC 24/SC 4/WG9 – Single particle light interaction methods, AFNOR/X43D - Air quality monitoring in ambient air, EURAMET Technical Committee for Metrology in Chemistry (TC-MC) WG Gas Analysis, BIPM Consultative Committee on Quantity of Matter (CCQM) - WG Gas Analysis - Task Group on Particle Metrology. When possible, representatives on the corresponding committee or WG from the participating NMIs will jointly ask to include a point in the agenda to briefly present the outputs of the project related to the WG activities and ask for comments from the other committee/WG members.

Instrument standardisation and certification will also pave the way for the development of European legislation on bioaerosol monitoring, e.g., by setting target limits for highly allergenic or pathogenic bioaerosols in the European Air Quality Directive.

Longer-term economic, social and environmental impacts

The direct impact of the research will be (near) real-time, more accurate and comparable measurements of bioaerosols, drastically improving the current status of the manual monitoring networks in Europe through the development and standardisation of methods for calibrating automatic bioaerosol monitors. Calibration

procedures with regards to both particle number concentration and particle identification will be standardised to achieve full traceability to the SI (International System of units). Note that this will be the very first time that full traceability (i.e., particle counting combined with particle identification) to the SI will be achieved in the field of aerosol sciences.

Indirectly, the impact would be very widespread. In terms of scientific benefits, the improved measurements would fit into EU atmospheric aerosol projects, refining climate change models, and improving the quality of conclusions from cohort health studies, which are looking at the health effects of bioaerosols. The ML algorithms standardised in this project could also find novel applications in bioaerosol monitoring in indoor and workplace environments as well as in air pollution monitoring, e.g., in black carbon source apportionment.

An accurate and timely bioaerosol forecast, combined with the traditional weather forecast, will inform the vulnerable population on the particle number concentration of pollen and fungal spores in ambient air, and advise citizens to take necessary measures (e.g., contact avoidance and/or preventive medication) in the case of high pollen and/or fungal spore counts. It will also underpin allergy treatment by enabling a more targeted and efficient use of anti-allergy medication. In terms of socio-economic benefits, the project's outputs will provide a basis for better city management and planning. Urban green spaces are a key element in the design of modern cities, since they promote human interaction with nature and help to fight heatwaves in cities, thus improving human health. However, lack of planning in the design of public spaces, unfortunate choices of ornamental species and the interaction of pollen with air pollutants have been among the factors triggering allergy and asthma, two of the most widespread chronic diseases in urban populations. Ultimately, the output of this research will have significant benefits on human health within Europe, helping the more than 100 million Europeans who suffer from allergies. Considering the enormous costs of allergies and asthma in terms of hospitalisation and lost labour (> €55 billion per annum due to absence from work or reduced productivity), even a small decrease in these costs through prevention and better treatment will save the EU billions of € on an annual basis, largely exceeding the initial investments in the network's development and standardisation. Real-time information about fungal spores in combination with high resolution models could also mean more targeted fungicide use (both in time and space), which will not only reduce costs, but also environmental damage. The costs associated with crop loss from fungal pathogens are on a similar scale to the impact on human health.

List of publications

-

This list is also available here: <https://www.euramet.org/repository/research-publications-repository-link/>

Project start date and duration: 1 June 2024, 36 months		
Coordinator: Tobias Klein, PTB Tel: +49 0531 592 5240		E-mail: tobias.klein@ptb.de
Project website address: https://www.ptb.de/epm2023/bioairmet		
Chief Stakeholder Organisation: CEN / TC 264 / WG 39		Chief Stakeholder Contact: Gilles Oliver
Internal Beneficiaries:	External Beneficiaries:	Unfunded Beneficiaries:
<ol style="list-style-type: none"> 1. PTB, Germany 2. DFM, Denmark 3. FMI, Finland 4. LNE, France 5. RISE, Sweden 	<ol style="list-style-type: none"> 6. Oberon, France 7. Sciensano, Belgium 8. TUM-MED, Germany 	-
Associated Partners: 9. EDI, Switzerland, 10. METAS, Switzerland, 11. NPL, United Kingdom, 12. Swisens, Switzerland		